



Automotive Parts > Automotive Connectors > Data Connectivity Housings



Connector System: **Cable-to-Cable**

Sealable: **No**

Cable Exit Angle: **180°**

Number of Positions: **1**

Connector & Keying Code: **Z**

Features

Product Type Features

Connector & Contact Terminates To	Wire & Cable
Mixed & Hybrid Connector	No
Connector System	Cable-to-Cable
Sealable	No
Connector & Housing Type	Housing for Male Terminals

Configuration Features

Snap-Lock	Without
Number of Rows	1
Number of Positions	1

Electrical Characteristics

Nominal Voltage Architecture	800 V
------------------------------	-------

Body Features

Ferrule	Without
Body Material	PBT GF
Cable Exit Angle	180°
Connector & Keying Code	Z

Contact Features

Outer Contact Plating Material	Tin (Sn)
--------------------------------	----------



Contact Mating Area Plating Material	Unplated
Center Contact	Without
Contact Type	Pin
Mating Pin Diameter	.5 mm[.02 in]
Contact Current Rating (Max)	1 A

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Panel Attachment Style	Front Mount
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Color	Blue
---------------	------

Dimensions

Product Width	10.9 mm[.429 in]
Product Length	26 mm[1.023 in]
Connector Height	10.3 mm[.405 in]

Usage Conditions

Operating Temperature (Max)	65 °C, 70 °C, 75 °C, 80 °C, 85 °C[149 °F][158 °F][167 °F][176 °F][185 °F]
Cable Type	DACAR 462, RG 174
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]

Operation/Application

Operating Frequency Range	0 – 6 GHz
Shielded	No

Other

Connector Position Assurance Capable	Yes
Dielectric Material	None

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1719794-1 SUBASSY PLUG FAKRA ,HF	 TE Part # 1-1452582-1 1 WAY JACK HSG FAKRA2	 TE Part # 1-1452584-1 1 WAY PLUG CONN FAKRA2	 TE Part # 1-2141494-1 1POS,CONTACT KIT,REC HSG,ASSY, CODZ
 TE Part # 3-2392990-4 1P FAKRA II HSG ASSY 90DEG COD Z	 TE Part # 3-2287956-1 1POS,FAKRA II,PLUG,REC HSG,CODZ, ASSY	 TE Part # 1452583-1 1 WAY JACK RETAINER FAKRA2	 TE Part # 3-1719261-1 1 POS FAKRA II PLUG HSG CODZ FIXED



Also in the Series | FAKRA



Customers Also Bought



Documents

Product Drawings
1 WAY JACK COAX CONN FAKRA2

English

CAD Files
3D PDF

3D



Customer View Model

[ENG_CVM_CVM_1-1452581-1_B_c-1-1452581-1-b.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1452581-1_B_c-1-1452581-1-b.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1-1452581-1_B_c-1-1452581-1-b.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English