



Automotive Parts > Automotive Connectors > Data Connectivity Housings



Connector System: **Wire-to-Wire**
Sealable: **Yes**
Cable Exit Angle: **180 °**
Number of Positions: **14**
Connector & Keying Code: **A**

Features

Product Type Features

Connector & Contact Terminates To	Wire & Cable
Mixed & Hybrid Connector	Yes
Connector System	Wire-to-Wire
Sealable	Yes
Connector & Housing Type	Housing for Male Terminals

Configuration Features

Number of Positions	14
---------------------	----

Electrical Characteristics

Operating Voltage	60 VDC
-------------------	--------

Body Features

Ferrule	With
Body Material	PBT GF
Cable Exit Type	Straight to Angled, Straight to Straight
Cable Exit Angle	180 °



Connector & Keying Code	A
-------------------------	---

Contact Features

Outer Contact Plating Material	Tin (Sn)
RF Connector Center Contact Plating Material	Silver (Ag)
Contact Mating Area Plating Material	Silver (Ag)
Center Contact	With
Contact Type	Tab
Mating Tab Width	.05 mm, 1.6 mm[.019 in][.062 in]
Mating Tab Thickness	.4 mm, .6 mm[.015 in][.023 in]
Contact Current Rating (Max)	3 A, 20 A

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Panel Attachment Style	Rear Mount
Mating Retention	With
Connector Mounting Type	Panel Mount

Housing Features

Housing Color	Black
Centerline (Pitch)	4 mm[.157 in]

Dimensions

Product Width	52.8 mm[2.07 in]
Product Length	62.5 mm[2.46 in]
Connector Height	39.8 mm[1.56 in]

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Cable Type	UTP
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

Operation/Application

Operating Frequency Range	0 – 1 GHz, 0 – .1 GHz
Shielded	Yes
Circuit Application	Power & Signal

Industry Standards



IP Rating	IP67, IP6K9K
Compatible With Agency/Standards Products	ISO 8092

Packaging Features

Packaging Method	Box
------------------	-----

Other

Dielectric Material	PA
---------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2348764-1
HD MATEnet 1+12 REC HSG ASSY,
GRP E

Customers Also Bought



TE Part #1060-20-0222
PIN, SF, SIZE 20, 16-22, NI/NI



TE Part #WM-6P
WEDGE LOCK, 6P, REC, ORG, DTM



TE Part #DTM04-6P
REC, 6P, GRY, N



TE Part #964269-5
TAB A 1.6x0.6 CONTACT CF SWS Ag



TE Part #2109006-2
060 REC(S) CONT



TE Part #2348764-1
HD MATEnet 1+12 REC HSG ASSY,
GRP E



TE Part #2348764-2
HD MATEnet 1+12 REC HSG ASSY,
GRP E



TE Part #2348767-2
HD MATEnet 1+12 TAB ASSY, GRP E,
FLANGED



TE Part #2133257-1
FRAME ASSY MCP



TE Part #2310359-1
DTP04-4P-P018

Documents

Product Drawings

HD MATEnet 1+12 TAB ASSY, GRP E, FLANGED

English

CAD Files

Customer View Model

ENG_CVM_CVM_2348767-1_A.3d_igs.zip

English

Customer View Model



[ENG_CVM_CVM_2348767-1_A.3d_stp.zip](#)

English

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2348767-1_A.2d_dxf.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

[Product Specifications](#)

[Application Specification](#)

English