41409 ✔ ACTIVE

TE Internal #: 41409

Closed Ring Tongue Terminal, 22 – 20 AWG, #5 / M3 Stud, 3.25 mm [.128 in] Stud Diameter, Open Barrel, Straight, Tin Plating, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: **Closed Ring Tongue Terminal**

Wire Size: **642 – 1021 CMA**

Stud Size: **#5, M3**

Features

Product Type Features

Shape Description	Circular/Oval
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#5, M3
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Piercing

Configuration Features

Number of Holes	1

Body Features

Product Weight	.112 g

Contact Features

Contact Base Material	Brass
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None

Mechanical Attachment

Wire Insulation Support	With

Dimensions

	.049 in
Wire Size	642 – 1021 CMA
Stud Diameter	3.25 mm[.128 in]
Tongue Thickness	.32 mm[.012 in]
Product Length	10.87 mm[.428 in]
Barrel Inside Diameter	1.47 mm[.058 in]
Compatible Insulation Diameter (Max)	1.65 mm[.065 in]
Compatible Insulation Diameter Range	1.27 – 1.65 mm[.05 – .065 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper

Industry Standards

Government Qualified Terminal	No

Packaging Features

Packaging Quantity	25000
Packaging Method	Strip/Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

	Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



TE Part # 640189-1
RING TINSEL WIRE TPBR



TE Part # 2150729-1
OCEAN_2.0_Applicator-E-090O-REM



TE Part # 7-2150729-7
OCEAN_2.0_SPARE_PART_KIT-090O



TE Part # 2150729-2
OCEAN_2.0_Applicator-E-090O-REA

Customers Also Bought



TE Part #HD34-24-47PE
REC, 47P, AL, E, 16/20, P




TE Part #112263-90
PANEL NUT, SIZE 24, HD30



TE Part #0460-010-2031
PIN, SOLID, SIZE 20, 16-18AWG, AU



TE Part #374336-E
DRCBUG B 2,54 20 * CSI 163 E012 ADV J 2



TE Part #60422-3
RING 22-20 AWG NPBR



TE Part #964971-1
EINZELLEITERDICHTNG



TE Part #1-1564526-1
18POS,TAB 1.6X0.6,TAB HSG,ASSY



TE Part #1-2394061-1
2POS,HVP1000,ASSY,180DEG,COD AB

TE Part #839379-E
IDCCS SRC 1,27 4 * SPX NXX 550 HT

TE Part #2415-001-2405
PROTECT CVR, 24SZ, REC, RED, HDP

Documents

Product Drawings

RING IP 22-20 128 012PTPBR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_41409_AP_c-41409-ap.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_41409_AP_c-41409-ap.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_41409_AP_c-41409-ap.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English