



Automotive Parts > Automotive Connector Accessories > Automotive Connector EMC Shielding > DT Highspeed Connector shielding



Connector Shielding Accessory Type: **Ferrule**

Primary Product Material: **Copper Alloy**

[All DT Highspeed Connector shielding \(5\)](#)

Features

Product Type Features

Sealable	Yes
Connector Shielding Accessory Type	Ferrule

Configuration Features

Number of Positions	2
---------------------	---

Body Features

Primary Product Material	Copper Alloy
--------------------------	--------------

Usage Conditions

Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold

EU REACH Regulation (EC) No. 1907/2006



Current ECHA Candidate List: JUNE 2025 (250)
 Candidate List Declared Against: JUNE 2025 (250)
 Does not contain REACH SVHC

Halogen Content
 Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability
 Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 9-2383999-1
 4POS, DIA 1MM, PIN HSG ASSY, SLD



TE Part # CAT-AI5-DHCS
 DT Highspeed Connector shielding



TE Part # 2399600-2
 SDE DT Highspeed Ferrule 0.50 mm Die Set



TE Part # CAT-AI5-DHCH
 DT Highspeed Connectors housings




TE Part # 2399600-1
 SDE DT Highspeed Ferrule 0.50 mm Tool


Also in the Series | **DEUTSCH DT Highspeed**



Automotive Connector Caps & Covers (4)



Automotive Connector EMC Shielding (6)



Automotive Housings(3)



Data Connectivity Housings(1)



Infotainment & Multimedia Cable Assemblies(15)

Customers Also Bought



TE Part #211401-7
RECEPT,SZ 13-7,CPC



TE Part #7-1625892-1
3W SM M/OX 5% 820R



TE Part #2292865-3
AS16,CAP BACKSHELL KIT,ST,12P,
NC16



TE Part #9-2367341-1
2POS,CSS SIZE 20,PIN OUTER HSG
ASSY



TE Part #9-2367345-1
SOC CONN CVR ASSY,2POS,CSS
SIZE 20,180



TE Part #9-2367346-1
SWS,HSD,CVTY DIA,RECTANGULAR



TE Part #CAT-AI5-DHCS
DT Highspeed Connector shielding



TE Part #CAT-J58-NCP
NTSEAL Cavity Plugs

Documents

Product Drawings

[CU ALLOY,OUTER FERRULE,DATA DT](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_9-2370624-1_A1.2d_dxf.zip](#)

English

Customer View Model



[ENG_CVM_CVM_9-2370624-1_A1.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_9-2370624-1_A1.3d_igs.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English