

Product data sheet

Automation technology - Data transmission



Product description **M12 Male cable connector, Contacts: 8, 5.5-9.0 mm, shieldable, IDC, IP67**


Area **series 825**

Part no. **99 3787 810 08**


Illustration



Scale drawing



Contact arrangement (Plug-in side)



You can find the component part drawing and assembly instructions on the next page.

Technical data

General features

Part no.	99 3787 810 08
Connector design	Male cable connector
Type standard	DIN EN 61076-2-109
Version	Connector pin straight
Connector locking system	screw
Termination	IDC
Degree of protection	IP67
Connection cross-section	AWG 27-22
Cable outlet	5.5-9.0 mm
Temperature range from/to	-40 °C / 85 °C
Mechanical operation	> 100 Mating cycles
Weight (g)	76.10
Customs tariff number	85366990
Country of Origin	TW

Electrical parameters

Rated voltage	50 V (AC) / 60 V (DC)
Rated impulse voltage	800 V
Rated current	0.5 A
Pollution degree	3
Transmission rate	CAT 6A
Overvoltage category	II
Insulating material group	II
EMC compliance	shieldable

Product data sheet

Automation technology - Data transmission



Product description	M12 Male cable connector, Contacts: 8, 5.5-9.0 mm, shieldable, IDC, IP67
Area	series 825
Part no.	99 3787 810 08

Shield connection	Shield clamping
-------------------	-----------------

Material

Housing material	Zinc die-cast nickel-plated
Contact body material	PA
Contact material	CuSn (bronze)
Contact plating	Au (gold)
Locking material	Zinc die-cast nickel-plated
REACH SVHC	CAS 7439-92-1 (Lead)
SCIP number	86a6107d-5128-4071-bef2-5afd659c3b4f

Classifications

eCl@ss 11.1	27-44-01-02
ETIM 9.0	EC002635

Declarations of conformity

Low Voltage Directive	2014/35/EU (EN 60529:1991 2014/35/EU;EN 60204-1:2018)
-----------------------	---------------------------------------------------------

Assembly instructions

M12x1 Cable plug X-coded 8 pol. Cat.6A Montagehinweis / Mounting information

1 Lieferumfang / scope of delivery
Kabeldichtung vormontiert für Kabel Ø > 7.7-9.0 mm
cable sealing assembled for cable Ø > 0.3-0.35 inch
Kabeldichtungen für/cable sealings for:
Kabel Ø 5.5-5.7 mm Kabel Ø > 6.1-7.7 mm
cable Ø 0.22-0.26 inch cable Ø > 0.26-0.3 inch

2 Kabelverschraubung aufschieben
slide cable gland onto cable
zusätzliche Kabeldichtung entsprechend Kabel Ø wählen
select additional cable sealing acc. to cable Ø

3 SIFT
min. 40 mm
min. 1.6 inch
Abisolierlänge
stripping length
Geflechschirm nach hinten legen
fold braid shield backwards

4 Kabelseite 1_ 0.24 inch ~ 6 mm cable end 1
~ 13 mm ~ 0.5 inch
Kabelseite 2 ~ 0.24 inch ~ 6 mm cable end 2

5 Adempaare in die Ademvorsortierung einführen
insert pairs of wires into wire manager

6 Schirmfeder betätigen
press down shield cover
Geflechschirm darf nicht überstehen
braid shield must not protrude

7 Adempaare entdrillen
untwist pairs of wires

8 Adern in die Ademvorsortierung einlegen
insert wires into wire manager

9 Adern bündig abschneiden.
max. 0.3 mm überstehend
Schirmkrenz freihalten
keep shield cross clear
cut wires flush protruding max. 0.01 inch

10 X-kodiert / X-coded
Diagram showing the X-coded wiring layout with 8 positions (1-8) and corresponding wire colors.

11 Anschluss / Connection

FabCode	Colour code	Pin Nr./No.
W-O	Orange	1
O	Black	2
W-G	Green	3
G	Blue	4
W-BR	Brown	5
BR	Red	6
W-BL	White	7
BL	Grey	8

12 Ademvorsortierung ansetzen
locate wire manager
Auf Lage achten
pay attention to position

13 Ademvorsortierung einschieben
insert wire manager into plug body
Kabelverschraubung ansetzen
locate cable gland

14 Kabeldichtung bündig einschleifen
slide flush in cable sealing flush

15 Kabelverschraubung mit Gabelschlüssel SW17 und SW15 bis zum Anschlag (ca 5 Nm) auf den Steckerkörper festdrehen
tighten cable gland with spanner 17AF and 15AF (approx. 5Nm) until stop

16 Drehmomentschlüssel
torque wrench
SW18 / 18AF 0,6 Nm / 07 0079 000

Demontage / Disassembly

8.09.2014


Product data sheet

Automation technology - Data transmission

Product description **M12 Male cable connector, Contacts: 8, 5.5-9.0 mm, shieldable, IDC, IP67**

Area **series 825**
Part no. **99 3787 810 08**

Component part drawing



Product data sheet

Automation technology - Data transmission



Product description	M12 Male cable connector, Contacts: 8, 5.5-9.0 mm, shieldable, IDC, IP67
Area	series 825
Part no.	99 3787 810 08

Security notices

The connector must not be plugged or unplugged under load. Non-observance and improper use can result in personal injury.

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

To protect against unintentional opening of the connector, the thread between the housing and the connector head must be secured with a suitable cyanoacrylate adhesive when used in circuits with voltages dangerous to the touch. This does not apply to connectors used in SELV and PELV circuits according to IEC 61140 (EN 61140, VDE 0140-1).

Connectors which are used in circuits with voltages dangerous to the touch may only be installed and used by, or under the supervision of, persons with electrical engineering training, taking into account the applicable regulations and standards.

The user must take suitable safety precautions to ensure that the connector cannot be accidentally disconnected.

Plug connectors with enclosure protection IP67 and IP68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.

Please observe the pollution degree and the overvoltage category. For further information, please refer to the download center "Technical Information".

To lock the cable connector with the device connector, the threaded ring is tightened "hand-tight" (approx. 60 cNm).

DECLARATION FROM THE MANUFACTURER

For part no.: 99 3787 810 08

14/07/2025

With regard to the

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

With the REACH regulation, the EU has created a uniform system for the Registration, Evaluation, Authorisation and restriction of CHEMicals – or REACH. The purpose of this regulation is to ensure a high level of protection of human health and the environment.

Franz Binder GmbH & Co. Elektrische Bauelemente KG hereby confirms that it acts as a downstream user (producer of products) according to the aforementioned regulation.

We obtain all raw materials and/or preparations, from which the connectors are made, from suppliers who have already registered or pre-registered all substances, including those present in the preparations. The products supplied by the company are not subject to registration.

With regard to Article 33(1) of the REACH regulation, Franz Binder GmbH & Co. Elektrische Bauelemente KG complies with its information obligations:

An up-to-date candidate list (candidate list of substances of very high concern for authorisation, as of 25/06/2025 see: <https://echa.europa.eu/de/candidate-list-table>) in accordance with Article 59 (1, 10) of the regulation (EC) No 1907/2006 (REACH) has been published.

The aforementioned article includes the following substances from the up-to-date candidate list in concentrations of more than 0,1 percent by mass:

- CAS 7439-92-1 (Lead)

Please refer any questions to our Product Compliance Team:

Product-Compliance@binder-connector.de

DECLARATION FROM THE MANUFACTURER

For part no.: 99 3787 810 08

14/07/2025

With regard to the

COMMISSION DELEGATED DIRECTIVE (EU) 2015/863 of 31 March 2015

**amending Annex II to Directive 2011/65/EU of the European Parliament and of the Council as regards
the list of restricted substances**

Directive 2011/65/EU stipulates provisions on the restriction of the use of hazardous substances in electrical and electronic equipment (EEE) with a view to contributing to the protection of human health and the environment, including the environmentally sound recovery and disposal of EEE waste.

ANNEX II

Restricted substances referred to in Article 4(1) and maximum concentration values tolerated by weight in homogeneous materials

Lead (0,1%) mercury (0,1%) cadmium (0,01%) hexavalent chromium (0,1%) polybrominated biphenyls (PBB) (0,1%) polybrominated diphenyl ethers (PBDE) (0,1%) bis(2-ethylhexyl) phthalate (DEHP) (0,1%) butyl benzyl phthalate (BBP) (0,1%) dibutyl phthalate (DBP) (0,1%) diisobutyl phthalate (DIBP) (0,1%)

Franz Binder GmbH & Co. Elektrische Bauelemente KG hereby confirms that it complies with all standard articles of the aforementioned Directive. Our products do not contain any of the specified prohibited substances above the maximum permitted concentrations specified therein, taking into account the exemptions in Annex III of Directive 2011/65/EU.

- Complies with RoHS III with exemption 6c

Please refer any questions to our Product Compliance Team:

Product-Compliance@binder-connector.de

MANUFACTURER'S DECLARATION

For part no.: 99 3787 810 08

14/07/2025

with regard to

Declaration of compliance with China RoHS – Components

We herewith declare the compliance of this product with the Chinese marking requirements. This product can be recycled and used safely during its environmentally friendly use period of 50 years. These articles will be sold as components only for manufacturing. According to the Electronic Industry Standard SJ/T 11364-2014 it needs not to be marked with Environmentally Friendly Use Period (EFUP) label. This product should be recycled after its environmental protection use period has expired because it may contain substances or elements as shown in the following table:

Part Name	Hazardous Substance					
	Lead (Pb)	Mercury (Hg)	Cadmium (Cd)	Hexavalent Chromium (Cr(VI))	Polybrominated biphenyls (PBB)	Polybrominated diphenyl ethers (PBDE)
Connectors	X	0	0	0	0	0

This table is prepared in accordance with the provisions of SJ/T 11364.

0: Indicates that said hazardous substance contained in all of the homogeneous materials for this part is below the limit requirement of GB/T 26572

X: Indicates that said hazardous substance contained in at least one of the homogeneous materials used for this part is above the limit requirement of GB/T 26572

The table shows where these substances may be found in this Electrical and Electronic Product.

Please refer any questions to our Product Compliance Team:

Product-Compliance@binder-connector.de

EU DECLARATION OF CONFORMITY

Manufacturer	Franz Binder GmbH & Co. Elektrische Bauelemente KG Rötelstraße 27 D-74172 Neckarsulm
Part no.	99 3787 810 08
Product	
Series	series 825

This product complies with the requirements of the following European Directive:
Directive 2014/35/EU of the European Parliament and of the council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits (recast).

The following harmonized standards have been applied for conformity assessment:

EN 60529:1991 | 2014/35/EU;EN 60204-1:2018 *)

*) This standard is currently not harmonized

References to standards apply to references to their amendments, if these amendments are listed to the respective directives in the Official Journal of the European Union.

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Neckarsulm, 2025-03-05



i.A. Soner Cakar
Product Compliance Manager

UKCA DECLARATION OF CONFORMITY

Manufacturer	Franz Binder GmbH & Co. Elektrische Bauelemente KG Rötelstraße 27 D-74172 Neckarsulm
Object of the declaration	Connector (COC)
Product	99 3787 810 08

The object of the declaration described above is in conformity with the relevant UK-Regulations and UK-Guidelines:

The Electrical Equipment (Safety) Regulations 2016
STATUTORY INSTRUMENTS
2016 No. 1101
CONSUMER PROTECTION
HEALTH AND SAFETY

References of standards and/ or technical specifications applied for this declaration of conformity, or parts thereof:

2016 No. 1101: EN 61984:2009 *)

*) This standard is currently not listed in the assigned directive.

This declaration is issued under the sole responsibility of the manufacturer.

Neckarsulm, 2025-03-05



i.A. Soner Cakar
Product Compliance Manager