



OK Industries · Division of Jonard Industries Corp.

Our Products

- Wire Wrap & Unwrap Tools
- ImpactPlus Punch Down Tools
- Application & Technology Notes
- Circuit Assembly Tools

Distributors & Representatives

About OK Industries


- What's New
- Catalog/Information Request
- Trade Shows
- Career Opportunities
- Comments / Email

OK Industries · Division of
JONARD
 Industries Corp.

Wire Rolls

- KYNAR™ Insulated, Silver Plated Copper Conductor
- KSW Wire Wrapping Rolls for Cut/Strip/Wrap Applications
- Wire Reel Holder

KYNAR™ Insulated, Silver Plated Copper Conductor



UL Listed

24 AWG (0.50mm) Insulated diameter 0.030" (0.76mm)

Roll Size	White	Yellow	Blue	Red	Black
100ft. (30.4m) roll	R24W- 0100	R24Y- 0100	R24B- 0100	R24R- 0100	R24BLK-0100

26 AWG (0.40mm) Insulation diameter 0.027" (0.69mm)

Roll Size	White	Yellow	Blue	Red	Black
100ft. (30.4m) roll	R26W- 0100	R26Y- 0100	R26B- 0100	R26R- 0100	R26BLK-0100

28 AWG (0.32mm) Insulation diameter 0.024" (0.60mm)

Roll Size	White	Yellow	Blue	Red	Black
100ft. (30.4m) roll	R28W- 0100	R28Y- 0100	R28B- 0100	R28R- 0100	R28BLK-0100

30 AWG (0.25mm) Insulation diameter 0.0195" (0.50mm)

Roll Size	White	Yellow	Blue	Red	Black
100ft. (30.4m) roll	R30W- 0100	R30Y- 0100	R30B- 0100	R30R- 0100	R30BLK-0100
1000ft. (304.0m) roll	R30W- 1000	R30Y- 1000	R30B- 1000	R30R- 1000	R30BLK-1000

Note: Additional colors and larger roll sizes may be available, please contact factory for details.

KSW Wire Wrapping Wire Rolls for Cut/Strip/Wrap Applications

Low strip force Kynar™ insulated wire for OK Industries CSW bits and sleeves.

Wire Size		Insulation Dia.		Roll Size		Part No.	Color						
AWG	mm	In.	mm	Feet	Meters								
24	0.50	0.030	0.76	100	30.4	KSW 24B-0100	Blue						
						KSW 24Y-0100	Yellow						
						KSW 24W-0100	White						
						KSW 24BLK-0100	Black						
						KSW 24R-0100	Red						
26	0.40	0.027	0.69	100	30.4	KSW 26B-0100	Blue						
						KSW 26Y-0100	Yellow						
						KSW 26W-0100	White						
						KSW 26BLK-0100	Black						
						KSW 26R-0100	Red						
28	0.32	0.0235	0.58	100	30.4	KSW 28B-0100	Blue						
						KSW 28Y-0100	Yellow						
						KSW 28W-0100	White						
						KSW 28BLK-0100	Black						
						KSW 28R-0100	Red						
						30	0.25	0.0195	0.50	100	30.4	KSW 30B-0100	Blue
												KSW 30Y-0100	Yellow
												KSW 30W-0100	White
												KSW 30BLK-0100	Black
												KSW 30R-0100	Red
30	0.25	0.0195	0.50	1000	304.0	KSW 30B-1000	Blue						
						KSW 30Y-1000	Yellow						
						KSW 30W-1000	White						
						KSW 30BLK-1000	Black						
						KSW 30R-1000	Red						

Kynar™ Pennwalt Note: Larger quantities will be quoted upon request.

[\[Back to the Top\]](#)

The RK series Wire Reel Holders are ideal for all production environments in which harness, assembly and wiring work are undertaken. It is equipped with a wooden rod



RK315

reel carrier and a tension bar to keep reels revolving without overriding or backlash to tangle the wire. The soft plastic edge of the tension bar acts as a static brush to remove lint and dust from the wire as it is pulled out for use. The unit, with the reels removed can be folded flat for convenience in storing. The RK420 unit handles 4 wire reels.

Part No.	Weight	Length	Width	Height
RK420	3 lbs. (1.4 kg)	20" (508mm)	7" (178mm)	8" (203mm)

[\[Back to the Top\]](#)
