


**EG-Series  
EGT6 EG2/EN**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



The profiles of the switch and button components match those of the electronic components.  
Switches and buttons facilitate commissioning, servicing, monitoring and repair of industrial installations.

**General ordering data**

Type	EGT6 EG2/EN
Order No.	<a href="#">0114660000</a>
Version	EG-Series, Function component CO contact, sensing, Screw connection
GTIN (EAN)	4008 190180355
Qty.	10 pc(s).

Creation date April 22, 2020 6:56:13 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

**EG-Series  
EGT6 EG2/EN**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**
**Dimensions and weights**

Length	58 mm	Length (inches)	2.283 inch
Width	18 mm	Width (inches)	0.709 inch
Height	50 mm	Height (inches)	1.969 inch
Net weight	42.4 g		

**Temperatures**

Operating temperature, max.	85 °C	Operating temperature, min.	-25 °C
Storage temperature, max.	100 °C	Storage temperature, min.	-40 °C
Operating temperature	-25 °C...85 °C	Ambient temperature	-25°C...+85°C
Storage temperature	-40 °C... 100 °C		

**Output**

Rated switching voltage	250 V AC	AC switching capacity (resistive), max.	1500 VA @ 250 V
DC switching capacity (resistive), max.	180 W @ 30 V		

**Contact data**

Contact type	CO contact, sensing
--------------	---------------------

**General data**

Rail	TS 32, TS 35	Colour	beige
------	--------------	--------	-------

**Connection data**

Wire connection method	Screw connection	Clamping range, rated connection	6 mm <sup>2</sup>
Clamping range, min.	0.5 mm <sup>2</sup>	Clamping range, max.	6 mm <sup>2</sup>
Wire connection cross section, finely stranded, max.	4 mm <sup>2</sup>		

**Classifications**

ETIM 6.0	EC002498	ETIM 7.0	EC002498
eClass 9.0	27-37-92-01	eClass 9.1	27-37-92-01
eClass 10.0	27-37-13-92	UNSPSC	30-21-19-17

**Approvals**

Approvals



ROHS Conform

**Downloads**

Approval/Certificate/Document of Conformity [EU Konformitätserklärung / EU Declaration of Conformity](#)  
 Engineering Data [EPLAN, WSCAD](#)